

Innovation at the right price

Side Slider Safety Knife

ERG 2010 series with short trapezium blade

Ergonomic Safety Knife with Recessed side slider

Auto Retraction of the blade when the slider is released at the end of cut.

Strong. Ambidextrous and light, the **all Aluminium bodies** are covered with synthetic rubber for grip..

Professional
ERG2012



Lozenge style Slider
supplied with ERGLD254
Blade and Blade Carrier

Professional
ERG 2011



Ridged style Slider
supplied with ERGLD254
Blade and Blade Carrier

Easy to use : -

- the Slider damper system reduces the shock as the blade retracts,
- the flexible synthetic rubber coating limits muscle fatigue by reducing the grip forces required.



Excellent in the Hand :

- the ergonomic body matches the shape of the hand,
- advanced index grip system for reduced fatigue over sustained use,
- **Recessed slider = optimum safety** reducing the risk of accidental deployment of the blade when in a holster or pocket.
- the slim form is suited to storing the knife in small pockets such as a chest pocket



Fits all work styles : -

- the large sliders can be operated either via :
- the tip of the thumb,
- or with the flat of the thumb
- Ability to adjust to **5** different blade lengths to protect the operators and the goods,




For "Extra" Safety :

- Blade secured by the centre hole
- Magnetic prevents the blade from falling during blade change (the magnetic system is designed to retain the blade on the slider pad) to aid reassembly
- **Mono block slider: the slider block is a sealed unit and cannot be disassembled, the spring cannot be accessed.**



Innovation at the right price

Changing Blades ERG 2010 series




1 Press the two tabs on the rear end cap to release the cap



2 Pull the mono block slider to the rear & completely withdraw



3 remove the used blade and discard safely



4 Locate the new blade by placing on the magnets with centre hole engaged (invert blade to change from right to left hand)

















5 Replace the mono block slider




6 'Click' the end cap into place - the knife is ready to use !

Applications

 	 <small>Simple Cannellure</small> 	 <small>Double Cannellure</small> 	 <small>Triple Cannellure</small> 
<p>Corrugated packaging</p>	<p>Cardboard single ply up to 4 mm thick</p>	<p>Cardboard double ply up to 8 mm thick</p>	<p>Cardboard triple ply 12 to 15 mm thick</p>
 	 	 	
<p>Straps, plastic foils, composites, textiles.</p>	<p>Plain card up to 2mm thick</p>	<p>Stretch film thickness up to 30µm.</p>	










Innovation at the right price

Blades for ERG 2010 series



ERGLD 254

Personalise your ERG 2010 by choosing your slider and your maximum blade length !

	<p>Standard Models</p>  <p>ERGLD 254</p>	<p>Blade Maximum length OPTIONS Indexer with 3 notches = 8 mm Indexer with 2 notches = 12 mm Indexer with 1 notch = 15 mm without Indexer = 16 mm</p>
 <p>Professional ERG 2012</p>	 <p>Indexer with all 4 notches maximum blade length = 4 mm</p>	 <p>3 notches = 8mm</p>  <p>2 notches = 12 mm</p>
 <p>Professional ERG 2011</p>	 <p>Indexer with all 4 notches maximum blade length = 4 mm</p>	 <p>1 notches = 15mm</p>  <p>Without Indexer = 16mm</p>